DENRUSEONEY Paper Report	Doc/Event #:
NC DENR Division of Waste Management - Solid Waste	Environmental Monitoring
Notice: This form and any information attached to it are "Public Records" as defined in NC General Statute	Reporting Form 132-1. As such, these documents are
Instructions: Prepare one form for each individually monitored unit. Please type or print legibly. Attach a notification table with values that attain or exceed NC 21 groundwater standards or NC 2.	APR - 4 2016
must include a preliminary analysis of the cause and significance of each value. (e.g. naturally occurondition, etc.). Attach a notification table of any groundwater or surface water values that equal or exceed the report Attach a notification table of any methane gas values that attain or exceed explosive gas levels. The facility (NCAC 13B .1629 (4)(a)(i). Send the original signed and sealed form, any tables, and Electronic Data Deliverable to: Complia Section, 1646 Mail Service Center, Raleigh, NC 27699-1646.	urring, off-site source, pre-existing order or or or or nearby the
Solid Waste Monitoring Data Submittal Information Name of entity submitting data (laboratory, consultant, facility owner): INVIVOMENT Theorphy afect	
Contact for questions about data formatting. Include data preparer's name, telephone number and E-r	mail address:
Name: Sherry Koonce Phone: 252-448-8 E-mail: Skoonce@jonescountyne.gov	<u> </u>
Facility name: Facility Address: Facility Permit # (.0500 or	1 3 (3.)
Jones Courty 382 Landfill Rd	500 January 14,2016
Environmental Status: (Check all that apply) Initial/Background Monitoring Detection Monitoring Assessment Monitoring	Corrective Action
Type of data submitted: (Check all that apply) Groundwater monitoring data from monitoring wells Groundwater monitoring data from private water supply wells Leachate monitoring data Surface water monitoring data Other(specify)	
No. No groundwater or surface water standards were exceeded. Yes, a notification of values exceeding a groundwater or surface water standard is attached. It include monitoring points, dates, analytical values, NC 2L groundwater standard, NC 2B surface water standard preliminary analysis of the cause and significance of any concentration. Yes, a notification of values exceeding an explosive methane gas limit is attached. It includes the method values and explosive methane gas limits.	or NC Solid Waste GWPS and
Certification of the best of my knowledge, the information reported and statements made on this data submittal a furthermore, I have attached complete notification of any sampling values meeting or exceeding group evels, and a preliminary analysis of the cause and significance of concentrations exceeding groundward significant penalties for making any false statement, representation, or certification including the polynery of the cause and significant penalties for making any false statement, representation, or certification including the polynery of the cause and significant penalties for making any false statement, representation, or certification including the polynery of the cause and significant penalties for making any false statement.	undwater standards or explosive gas
(Area Code) Telephon	ne Number Licensed/ Professional Geologist Seal
18 Hwy 58 N Unit B Trenton nc 28585	

Table of Values Which Exceed Established Standards And/Or Exceed Reporting Levels

7 .11.					1		
Facility Name: Jones County LANDFILL	COUNTY LANDE	TLE	Permit #: 5201		Lab ID#_	6022	
	Collection E	xceeds			NC 2L	NC GWP	NC 2B
Location	Date Std	td Parameter	CAS#	Result, ug/l	STD **	STD **	** SWS
Well #4	ω.	Y Arsenic	7440-38-2	37	10		
Well #4	01/14/2016	1,4-Dichlorobenzene	106-46-7	1.70	6		
		C				,	
				-			

Page: 1/1

** Note: NC 2L STD

NC 2L STD = NC 2L Ground Water Standard
NC GWP STD = NC Solid Waste Groundwater Protection Standard
NC 2B SWS = NC 2B Surface Water Standard